



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

the Canal feeder. The male was full grown and had a crest which fell on its back as it rested on the water. The female was not fully grown and its plumage was very much ruffled up. The birds were quite fearless, as they allowed me to approach within fifty feet before rising to wing, and on rising just moved far enough off to be at a safe distance. On following them up stream they kept about 100 feet ahead of me for over a mile.

Killdeer (*Oxyechus vociferus*). At Pompton Plains on March 26th, four of these birds were found on the banks of the river searching the sand for food, which they were finding in great abundance. This bird is not as abundant of late as formerly and only found occasionally during the vernal migrations.

Bloomfield, N. J.

LOUIS S. KOHLER.

THE CONNECTICUT WARBLER IN MAHONING CO., OHIO.—October 3, 1910, early in the morning, I started a Connecticut warbler from the rank encircling growth of a button-bush swamp. He flew to a twig and sat intently regarding me, while I just as intently examined him through the binoculars as he paused in the effulgence of the ascending sun. His yellow was not strong nor was the slaty gray of the throat and fore-breast, but the eyes were plainly encircled by that white ring which it is so important to look for and which distinguishes him from the mourning warbler.

A moment more and he was satisfied with his examination and dashed from sight like a tiny olive-backed or gray-cheeked thrush, to which, in expression of eye, attitude, and general behavior he bore no little resemblance. By no amount of beating about the bush or wading through the wet outer tangle of jewel-weed, spanish needle, fire weed and wild-rose bushes could he be forced to reveal himself again.

Dawson, in his *Birds of Ohio*, regards this as one of the rarest warblers of the state, and evidently not without reason.

This is the writer's third record for this bird during a period of eleven years' observation at this station. This was in all probability a male. The first record was a female secured from high tree-tops in September, 1906. While the second bird was observed in the low herbage of a hillside thicket May 28, 1909. This bird, like the one of last autumn, was examined carefully at short range and identified beyond any doubt.

It may be noted that so far I have never recorded the mourning warbler in autumn.

Ellsworth, Ohio.

ERNEST WATERS VICKERS.